| Consultant Urologist | Advanced Nurse |
|---------------------------------------------------------|---------------------------|
| | Practitioner |
| | OP Therapists |
| Identifying the need for further investigations and | Consultants |
| referring accordingly e.g., video-urodynamic procedure, | Clinical Nurse Specialist |
| MRI, CT | Advanced Nurse |
| | Practitioner |
| Identifying the need for further Physiotherapy and/or | Consultants |
| Occupational Therapy and referring accordingly | Clinical Nurse Specialist |
| | Advanced Nurse |
| | Practitioner |
| Completing outcome forms, clearly identifying when the | Consultants |
| patiento }^¢c¦^çã a a][ã q ^}cã due. | Clinical Nurse Specialist |
| | Advanced Nurse |
| | Practitioner |
| | OP therapists |
| Dictating letters to GPs/other relevant healthcare | Consultants |
| professionals, and checking them for accuracy | Clinical Nurse Specialist |
| | Advanced Nurse |
| | Practitioner |
| | OP Therapists |

6. SPECIFIC PROCEDURE

6.1 Frequency of Review Appointments:

All patients discharged or referred for review by the Spinal Centre will receive life-long follow- $\mathring{}\]\ \ \downarrow [\ \{\ \ D[\ C\grave{U}VCq\ \{\ \check{}\ | \vec{a}_{a}\tilde{a}_{a}^{a} & \vec{a}_{a}^{a} | \vec{a}_{a} & \vec{a}_{a}^{a} \}$ weam to prevent

SCIM will be carried out with outpatients either during a telephone call or when they attend their review appointment. SCIM will be scheduled and carried out by

OP Nursing Team with patients at the following times:

- 6 months post-injury (if an outpatient)
- 12months post-injury
- 24 months post-injury

of4 T85Int@ntoatip[)]TETQ EMC /P &MCID 2>BDC q0.000008871 0 595.32 841.92 reW* n37.35 nBT/F2 11.04

| timeframe, in line with partial booking | |
|------------------------------------------------------------------------|--|
| Liaise with Radiology regarding changes Booking Clerk | |
| to clinic dates, number of patients | |
| scheduled/confirmed and times of their | |
| appointments | |
| The following should be available: Outpatient Nursing Team | |
| history sheet/proformas, where | |
| used | |
| Referral forms | |
| patient feedback form | |
| Ensure clinic rooms are allocated to OP Nurse Lead | |
| each clinician, managing capacity | |
| accordingly | |
| Ensure that clinic rooms are stocked OP Nurse Lead | |
| with the correct equipment and | |
| adequate amount of supplies, waiting list | |
| forms. | |
| Nursing staff to provide chaperones for OP Nurse Lead | |
| female patients who are being reviewed | |
| by a male clinician | |
| A nurse will be present at review OP Nurse Lead | |
| appointments where the patient is | |
| known to be volatile and/or has a history | |
| of violence | |
| W} å^¦æà^ ±Úæã^} cÜ^] [¦e^å Uˇœ{[{ ^ OP Nursing Team | |
| T^æ*¦^∙q(ÚROM) if these are due e.g. | |
| SCIM | |
| Identify and document when the next OP Nursing Team | |
| PROM is due | |
| Prepare for each clinic by reviewing Clinician holding the clinic | |
| patie} ce { ^å&aa+'^&[lå• | |
| Identify plan of care/treatment from Clinician holding the clinic | |
| previous review appointment or | |
| discharge report and ensure this is | |
| followed-up during the review | |
| appointment. Complete Outcome form | |
| Outcome form recorded on Lorenzo Booking Secretary | |
| Medical Secretaries | |
| Request radiological investigations e.g. Clinician holding the clinic | |
| Renal Ultrasound and Abdominal X-ray | |
| prior to each clinic for those patients | |
| attending Face to Face appointments | |
| Arrive and depart patients for clinics on OP Nursing Team | |
| Lorenzo | |
| Carry out renal ultrasound/abdominal x- Radiographer and Sonographer | |
| | |
| , , , , , , , , , , , , , , , , , , , | |
| ray and any other radiological | |
| ray and any other radiological investigations that have been requested | |
| ray and any other radiological | |

| this is available for the clinician during the] aga a [[a (^ c | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| Ensure patients have a copy of the $\pm \ddot{U}^{4} \{ \{ ^{\circ} \} \mathring{a} \mathring{a} C[\} \varpi \mathring{a} + [G \tilde{a} \mathring{a}] \& q document, enabling them to contact relevant members of the Outpatient Team should they encounter difficulties$ | OP Nursing Team |
| Carry out the review appointment, ^&[\aa_{\beta} * a^{\comega} \beta \comega \come | Clinician holding the clinic. |
| Inform the patient of the results of the renal ultrasound, and of the abdominal x-ray (if this has been reported on by a Radiologist) | Clinician holding the clinic |
| The following will be reviewed as | |

should be handed over to the OP Nursing Team who will ensure this is taken to the weekly Urology MDT Meeting

8. INTERNAL AND EXTERNAL REFERENCE

8.1 Internal References

1. Access Policy, Salisbury Foundation Trust. (Patient Initiated Follow Up (PIFU): Appendix 3)

8.2 External References

- 1. Standards for Adults Requiring Spinal Cord Injury Care. Approved by the Spinal Cord Injury Clinical reference Group, 19th November 2013.
- 2. National Spinal Cord Injury Care Pathways, Review and Outpatient Pathway, May 2013
- 3. Spinal athway,